

APPLICATION CONDITIONS	MIN.	NOM.	MAX.
TEMPERATURE (°F)			
PRESSURE (PSI)			
SPEED (SFPS)			
STROKE LENGTH (IN)			
CYCLE RATE (CYL/SEC)			
MEDIA			

BILL OF MATERIALS						
ITEM	QTY	PART#	MATERIAL	DESCRIPTION		

		REVISIONS		
ZONE	REV.	DESCRIPTION	DATE	ECN#





UNLESS OTHERWISE SPECIFIED: MAUDLIN NAME DATE PRODUCTS. . DOUGLAS 1/9/18 DRAWN DIMENSIONS ARE IN INCHES MW Industries, Inc. TOLERANCES: TITLE: MFG REVIEW FRACTIONAL± 1/16" GENERAL ARRANGEMENT ANGULAR: ± .5° 1/9/18 ENG APPR. TWO PLACE DECIMAL ±.01 300 SLANT COIL SPRING THREE PLACE DECIMAL ±.005 **GROOVE AND TOOL** JACKET MATERIAL: COMMENTS: SIZE DWG. NO. **REV** 300 SLANT COIL MSSCT-300 Α REPRODUCTION IN PART OR AS A WHOLE O-RING: SCALE: NTS SHEET 1 OF 1 DO NOT SCALE DRAWING

5

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS

DRAWING IS THE SOLE PROPERTY OF

WITHOUT THE WRITTEN PERMISSION OF MW INDUSTRIES, INC IS PROHIBITED.

MW INDUSTRIES, INC. ANY

3

2